

# SERIES 65GH



95 Shore A



-20°C to +80°C



150 - 300mm



400 - 2200kg

## Cast polyurethane tyre bonded to cast iron wheel centre

- Brown 'TR' cast polyurethane tyre
- Standard to extra-heavy duty loads
- Manual handling applications
- Suitable for use on compact surfaces
- Tested in accordance with ISO 22878:2004
- Manufactured in accordance with ISO 22883:2004



### Available Bore Types



Ball Bearing



Ball Bearing Facility

### Environments of Use


- Weak Acids
- Strong Acids
- Water
- Alcohol
- Weak Bases
- Strong Bases
- Hydrocarbons
- Solvents

### Uses


Suitable for applications with medium/heavy-duty loads, also with mechanical handling, with speed up to 6km/h. The excellent rolling resistance allows manual handling of heavy loads.

### Floor Suitability


Suitable for tiles and cement-resin. Not suitable if large obstacles are present.




Tile



Cement-Resin




Asphalt




With Chips



With Obstacles



Not Paved



Expanded Metal

# SERIES 65GH CONTINUED



95 Shore A



-20°C to +80°C



150 - 300mm



400 - 2200kg














## WHEELS



Ball Bearing

















Ball Bearing Facility

												
(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(daN)	(daN)	(daN)	(kg)	(code)	(kg)	(code)
150	30	17	30	40	12	700	280	400	1.45	652104	0.96	654104
150	35	20	35	47	14	825	290	490	1.60	652224	1.36	654224
175	35	20	35	47	14	900	350	650	2.03	652105	1.79	654105
200	45	20	45	47	14	1125	380	1000	3.51	652106	3.27	654106
200	45	25	45	52	15	1125	380	1000	3.42	652206	3.14	654206
250	50	20	50	52	15	1750	400	1200	5.50	652208	5.31	654108
250	50	25	50	52	15	1750	400	1200	5.59	652108	5.31	654108
300	70	30	70	62	16	3000	550	2200	12.31	652109	11.85	654109

















## STANDARD DUTY CASTORS - NL

																					
150	30	192	188*	140x110	105x80	11	102	20	56	156	300	2.81	656204	2.45	658204	3.10	656524	2.68	656424	2.96	656824
150	35	192	188*	140x110	105x80	11	102	20	56	156	300	2.96	656214	2.60	658214	3.25	656534	2.83	656434	3.11	656834
175	35	217	212*	140x110	105x80	11	102	20	56	156	300	3.41	656205	3.12	658205	3.69	656525	3.29	656425	3.57	656825
200	45	240	236*	140x110	105x80	11	102	20	56	156	300	4.92	656206	4.70	658206	5.20	656526	4.77	656426	5.06	656826

\*Bolt Hole



## MEDIUM DUTY CASTORS - M

														
150	35	194	140x110	105x80	11	58	178	490	3.31	657214	2.60	658214	3.78	687334
200	45	240	140x110	105x80	11	50	178	500	5.31	657206	4.70	658206	5.25	657326

For technical help and advice contact

T: 01457 837772 E: sales@aut.co.uk

# SERIES 65GH CONTINUED



95 Shore A



-20°C to +80°C



150 - 300mm



400 - 2200kg



## HEAVY DUTY CASTORS - P

											SWIVEL		FIXED		SWIVEL & BRAKE
	150	30	200	140x110	105x80	11	70	126	400	3.80	<b>657404</b>	2.36	<b>658404</b>	4.08	<b>656624</b>
	150	35	200	140x110	105x80	11	70	126	490	3.95	<b>657414</b>	2.51	<b>658414</b>	4.52	<b>656634</b>
	175	35	225	140x110	105x80	11	70	126	650	4.42	<b>657405</b>	3.00	<b>658405</b>	4.99	<b>656625</b>
	200	45	250	140x110	105x80	11	70	126	750	5.89	<b>657406</b>	4.43	<b>658406</b>	6.46	<b>656626</b>
	250	50	298	140x110	105x80	11	66	126	750	8.10	<b>657408</b>	7.00	<b>658408</b>	8.80	<b>656628</b>



## HEAVY DUTY TOWING CASTORS - PT

											SWIVEL		FIXED		SWIVEL & BRAKE
	150	35	200	140x110	105x80	11	70	126	490	3.95	<b>657444</b>	2.51	<b>658414</b>	4.52	<b>658314</b>
	175	35	225	140x110	105x80	11	70	126	650	4.42	<b>657435</b>	3.00	<b>658405</b>	4.99	<b>658305</b>
	200	45	250	140x110	105x80	11	70	126	900	5.89	<b>657436</b>	4.43	<b>658406</b>	6.20	<b>658306</b>



## EXTRA HEAVY DUTY CASTORS - EP

											SWIVEL		FIXED		SWIVEL & BRAKE
	150	30	200	135x110	105x80	11	70	-	400	4.06	<b>657804</b>	2.32	<b>658804</b>	-	-
	150	35	200	135x110	105x80	11	70	126	490	4.21	<b>657814</b>	3.73	<b>658814</b>	4.78	<b>656914</b>
	175	35	225	135x110	105x80	11	70	126	650	4.66	<b>657805</b>	4.24	<b>658805</b>	5.23	<b>656915</b>
	200	45	250	135x110	105x80	11	70	126	1000	6.14	<b>657806</b>	5.70	<b>658806</b>	6.71	<b>656916</b>
	250	50	300	175x140	140x105	14	66	-	1200	11.14	<b>657808</b>	9.30	<b>658808</b>	-	-

## OPTIONS AVAILABLE TO ORDER

